Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	(US-20050021736-\$ or US-20040268314-\$ or US-20040237093-\$ or US-20040019886-\$ or US-20030195959-\$ or US-20030093772-\$ or US-20030014464-\$ or US-20030009545-\$ or US-20040220947-\$ or US-20030120593-\$).did. or (US-6327700-\$ or US-7051339-\$ or US-6041352-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/09/07 16:29
S1	2	((runtime with application) same (performance near6 monitor\$6)) and ((instrumenting instrumented) same ("byte code" bytecode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 15:54
S2	5	ARM and bytecode and (instrumented with code) and (callback LIFO (time near4 (marker stamp)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 15:56
S3	5	"Application Response Measurement" and ARM and (bytecode same instrumentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 15:57
S4	6	ARM and (instrument\$5 same bytecode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 17:05
S5	0	cookie same ((start end) near time) same (parent and child) same (thread application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 17:08
S6	0	cookie same ((start end) near time) and ((parent and child) same (thread application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 17:07

S7	66	cookie same ((start end) near time)	US-PGPUB;	OR	OFF	2006/09/05 17:08
		The same ((same end) near time)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		· · · ·	2300,03,03 17.00
S8	1	((parent and child) same (thread application)) and (timestamp same cookie)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 17:08
S9	19	((parent and child) same (thread application)) and (timestamp and cookie)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/05 17:08
S10	251	ARM near9 API	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 11:13
S11	0	S10 and hewlett.as. and (correlator same (message header))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 11:14
S12	12	S10 and (correlator same (message header))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 11:18
S14	7	S10 not S12 and correlator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 11:19
S15	6	S14 and (time near4 (start end response interval)) and (send message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 11:20

S16	9	(US-20040019886-\$ or	US-PGPUB;	OR	OFF	2006/09/06 11:23
		US-20050021736-\$ or US-20040268314-\$ or US-20040237093-\$ or US-20030195959-\$ or US-20030009545-\$ or US-200300093772-\$ or US-20030014464-\$).did. or (US-7051339-\$).did.	USPAT			
S17	7	S16 and (parent same child)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 11:24
S18	0	S17 and (instrument\$4 same bytecode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 11:25
S19	5	S10 and (instrument\$4 same bytecode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 11:25
S20	2	S10 not S19 and (instrument\$4 same Java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 11:26
S21	0	(S20 or S15) and bytecode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 11:27
S22	5	(S20 or S12) and bytecode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 11:27
S23	6	S10 and (byte adj code) and instrument\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 11:28

			1	T		
S24	1	S23 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 16:19
S25	1	Carusi.in. and (ARM and API)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 16:20
S26	10	(US-20040019886-\$ or US-20050021736-\$ or US-20040268314-\$ or US-20040237093-\$ or US-20030195959-\$ or US-2003009545-\$ or US-20030093772-\$ or US-20030014464-\$).did. or (US-7051339-\$ or US-6327700-\$). did.	US-PGPUB; USPAT	OR	OFF	2006/09/06 16:19
S27	4	S26 and (ARM and API) and "Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 16:23
S28	3	S26 and (ARM and API) and correlat\$3 and ((start end) adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 16:31
S29	2	"6041352".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 16:32
S30	17	(ARM same API) and ((parent child) with (relation indication information transaction)) and correlat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 16:35

S31	8	S30 and S26	US-PGPUB;	OR	OFF	2006/09/06 16:35
331	0	330 and 320	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OK	OFF	2000/09/00 10.33
S32	9	S30 not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 16:35
S33	12	(US-20040019886-\$ or US-20050021736-\$ or US-20040268314-\$ or US-20040237093-\$ or US-20030195959-\$ or US-20030009545-\$ or US-200300093772-\$ or US-20030014464-\$ or US-20040220947-\$).did. or (US-7051339-\$ or US-6327700-\$ or US-6041352-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/09/06 16:57
S34	0	S33 and J2EE	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 16:57
S35	9	(ARM same API) and J2EE	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 17:00
S36	6	(instrumenting with bytecode) and J2EE	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 17:00
S37	6	S36 not Hewlett.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 17:02

9/7/2006 4:37:36 PM C:\Documents and Settings\tvu3\My Documents\EAST\Workspaces\10640620.wsp

S38	18	Aman.in. and (workload work).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 17:03
539	0	S38 and J2ee	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/09/06 17:03
S40	0	S38 and (Java near (enterprise bean))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 17:03
S41	2	S38 and (Java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 17:04
S42	2	S38 and enterprise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 17:05
S43	14	"Business Machines".as. and "Enterprise System" and J2ee	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 17:08
S44	4	ARM and "Enterprise System" and J2ee	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/06 17:08

S45	12	(US-20050021736-\$ or US-20040268314-\$ or US-20040237093-\$ or US-20040019886-\$ or US-20030195959-\$ or US-20030093772-\$ or US-20030014464-\$ or US-2003009545-\$ or US-20040220947-\$).did. or (US-6327700-\$ or US-7051339-\$ or US-6041352-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/09/07 10:16
S46	8	((parent and child) same (transaction thread application)) and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:18
S52	4	S46 and Java and "source"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:28
S53	2	S52 and EJB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:20
S54	6	S46 and Java and (parent same child same correlat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:57
S55	0	S54 and hook	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:58
S56	0	S54 and ((switch\$2 pass\$3) near9 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:58

S57	0	S54 and (hook\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 10:59
S58	1	S45 and (hook\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 11:00
S59	0	S45 and stub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 11:00
S60	876	ARM and API and stub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 11:00
S61	1	S60 and (correlat\$4 same transaction) and (hook\$4 stub)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 11:05
S62	0	Bansai.in. and ARM and transaction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 11:06
S63	1	Bansal.in. and ARM and transaction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 11:06

S64	13	(US-20050021736-\$ or US-20040268314-\$ or US-20040237093-\$ or US-20040019886-\$ or US-20030195959-\$ or US-20030093772-\$ or US-20030014464-\$ or US-20030009545-\$ or US-20040220947-\$ or US-20030120593-\$).did. or (US-6327700-\$ or US-7051339-\$ or US-6041352-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/09/07 12:11
S65	1	(bytecode same instrument\$5) and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 12:12
S66	13	(US-20050021736-\$ or US-20040268314-\$ or US-20040237093-\$ or US-20040019886-\$ or US-20030195959-\$ or US-20030093772-\$ or US-20030014464-\$ or US-20030009545-\$ or US-20040220947-\$ or US-20030120593-\$).did. or (US-6327700-\$ or US-7051339-\$ or US-6041352-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/09/07 13:40
S67	0	S66 and LIFO	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 13:40
S68	1013	stack same LIFO	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 13:41
S69	10	S68 and (thread same (EJB JVM "virtual machine") same (stack LIFO))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 13:43

S70	22	S68 and ((JVM "virtual machine") near9 (stack LIFO))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 13:43
S71	8	S70 and (stack near9 thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 13:49
S72	0	S66 and cookie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 13:49
S73	0	(registering same "runtime" same thread) same cookie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 13:50
S74	0	((register\$4 stor\$4 stack) same (JVM and thread) same cookie)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 14:24
S75	0	(JVM and thread) same cookie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 14:24
S76	0	(JVM and (API stub)) same cookie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 14:24
S77	145	(server and (API stub)) same cookie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 14:31

S78	125	((send transmit) adj2 cookie near3 server) or (cookie adj3 (received near3 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 14:32
S79	2	S77 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 14:45
S80	0	correlator same proxie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 14:47
S81	0	(client near4 record) same proxie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 14:46
S82	0	(client near4 (profile data record)) same proxie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 14:46
S83	0	(client near9 (profile data record)) same proxie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 14:47
S84	887	(client near9 (profile data record)) same cookie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 14:47
S85	7	(correlator same (server API)) and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/07 14:48